

## DOMStringList Interface

HTML-5.com is an HTML User's Guide and quick reference of HTML elements and attributes for web developers who code HTML web pages, not only for HTML 5 but for HTML coding in general, with demos and examples of HTML code plus a cheat sheet for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">HTML 5</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">JavaScript Code</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">JavaScript DOM</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](#)

### [DOMStringList Interface](#)

#### DOMStringList Interface

##### Use:

[HTMLPropertiesCollection names](#)

##### Since:

DOM Level 3

DOM Properties		
get only	unsigned long	<b><i>list.length</i></b> the number of strings in this list

DOM Interface Methods	
boolean	<b><i>list.contains(DOMString str)</i></b> <b>Parameters:</b> <i>str</i> - a string to be matched against the strings in this list  <b>Return value:</b> <code>true</code> if <i>str</i> exists in this list or <code>false</code> if it does not exist
<a href="#">Node</a>	<b><i>list.item(unsigned long index)</i></b> <b><i>list[index]</i></b> <b><i>list(index)</i></b> <b>Parameters:</b> <i>index</i> - index of the node to be returned, where the first index is 0 and the last index is length - 1  <b>Return value:</b> the ( <i>index</i> + 1)th node in this list (for example, if <i>index</i> is 3, the fourth node

	is returned) if $0 < index < length - 1$ , or else null
--	--

[back to top](#)

---

***THE END***