

PropertyNodeList Interface

HTML-5.com is an HTML User's Guide and quick reference of HTML elements and attributes for web developers who code HTML web pages, not only for HTML 5 but for HTML coding in general, with demos and examples of HTML code plus a cheat sheet for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)
[HTML 5](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)
[JavaScript Code](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)
[JavaScript DOM](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)

[PropertyNodeList Interface](#)

PropertyNodeList Interface

A `<dfn>PropertyNodeList</dfn>` is an ordered collection of [Nodes](#) with a specified property. Individual nodes can be accessed via an index less than the number of nodes in the list, starting with zero for the first node.

Superinterface:

[NodeList](#)

Use:

[HTMLPropertiesCollection namedItem](#) (which returns a list of [HTMLElement](#) nodes)

DOM Properties		
get only	PropertyValueArray	<i>list.values</i>
DOM Properties inherited from NodeList		
get only	unsigned long	<i>list.length</i> The number of nodes in the list.
DOM Interface Methods inherited from NodeList		
Node	<i>list.item(unsigned long index)</i> <i>list[index]</i> <i>list(index)</i>	Parameters: index - index of the node to be returned, where the first index is 0 and the last index is length - 1

Return value:

the (index + 1)th node in the list (for example, if index is 3, the fourth node is returned) if $0 < \text{index} < \text{length} - 1$, or else null

[back to top](#)

THE END