

Address Microdata

HTML-5.com is an HTML User's Guide and quick reference of HTML elements and attributes for web developers who code HTML web pages, not only for HTML 5 but for HTML coding in general, with demos and examples of HTML code plus a cheat sheet for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)
[itemprop="title">HTML 5](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)
Address Microdata

Address Microdata

`<dfn>Address microdata</dfn>` identifies a physical geographic location by its mailing address. Although sometimes used by itself, it can also be used for the value of a property of another microdata item, such as a [Person](#) or [Business or Organization](#).

```
<span itemprop="street-address">123456 Seventh Street</span>
<span itemprop="locality">Beverly Hills</span>, <span itemprop="region">CA</span>
<span itemprop="postal-code">90210</span>
<span itemprop="country-name">USA</span>
```

This is an actual working example of the [Address microdata example code](#) below.

Syntax

Item type: `http://data-vocabulary.org/Address`

Property		Description
street-address		The street address, including the street number and street name.
locality		The city, town or other locality.
region		The state, province, territory or other region of the country.
postal-code		The postal code.
country-name		The country name part of the address.

Examples

Address microdata example

```
<div itemscope="itemscope" itemtype="http://data-vocabulary.org/Address">
  <span itemprop="street-address">123456 Seventh Street</span><br/>
  <span itemprop="locality">Beverly Hills</span>, <span
  ↳ itemprop="region">CA</span>
  <span itemprop="postal-code">90210</span><br/>
  <span itemprop="country-name">USA</span>
</div>
```

As explained in the description of the [
 tag](#), a mailing address is one place where use of the [break tag](#) is appropriate.

[back to top](#)

THE END