

## <code> Tag for Program Code

#code# is used to display computer program code. #code# description, syntax, usage, attributes and examples. HTML-5.com is a great guide for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">HTML 5</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">HTML Tags</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<code> Tag for Program Code](#)

> [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">Examples</span>](#)

---

### The <code> Tag in HTML 5

The <code> tag represents computer code. The **code** element is one of the [phrase elements in HTML](#).

[back to top](#)

---

### <code> Tag Syntax

#### Rules for coding HTML **code** elements

```
<a mode="pre" href="../body-tag/index.html#syntax"><body></a>
...
  <a mode="pre" href="../html-tag-list.html#phrasing-content-model">... phrasing content
  ...
</body>
```

#### Rules for coding HTML **code** elements

Make sure you understand the [difference between a tag and element](#) and are familiar with the [definitions](#) of [namespace](#) and other [HTML terms](#).

1. Code the **code** element to indicate computer code within a paragraph where [phrasing content](#) is expected.
2. Begin the **code** element with a starting <code> tag. The element name uses lower case letters and should be in the [HTML namespace](#), which it will pick up automatically from the [xmlns attribute](#) on the <html> tag.
3. Include any [HTML global attributes on the <code> tag](#) as appropriate.
4. Inside the **code** element, between the starting <code> tag and the ending </code> tag, code the inner HTML [phrasing content](#).
5. End the **code element** with a matching </code> closing tag.

#### Content Model

The content of the **code** element can include [HTML comments](#), [text content](#) and only those [HTML tags that can be used in phrasing content](#).

[back to top](#)

---

## <code> Tag Attributes

### Attributes of the <code> tag

<a href="#">global attributes</a>	The only attributes that can be coded on the <code> tag are the <a href="#">common HTML attributes</a> .
-----------------------------------	----------------------------------------------------------------------------------------------------------

[back to top](#)

---

## <code> Tag Examples

### Examples of the `code` tag in HTML 5

[back to top](#)

---

## Changes in HTML 5 - <code> Tag

### What's new in HTML 5

#### Differences between HTML 5 and earlier versions of HTML

The [2000-2010 Recommendations from the W3C HTML Working Group](#) defined the [HTML namespace](#) for the `code` element type name along with the names of all [HTML element types](#). In older (pre-2000) [versions of HTML](#), element type names were not associated with a namespace.

[back to top](#)

---

*THE END*