

## CSS Rules

HTML-5.com is an HTML User's Guide and quick reference of HTML elements and attributes for web developers who code HTML web pages, not only for HTML 5 but for HTML coding in general, with demos and examples of HTML code plus a cheat sheet for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)[<span itemprop="title">HTML 5</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)  
[CSS Rules](#)

---

### CSS Rules

[back to top](#)

---

#### The `@font-face` CSS Rule

- font-family: sans-serif; font-size: 16pt; font-style: normal; font-weight: normal
- font-family: Tuffy; font-size: 16pt; font-style: normal; font-weight: normal
- font-family: Tuffy; font-size: 16pt; font-style: oblique; font-weight: normal
- font-family: Tuffy; font-size: 16pt; font-style: italic; font-weight: normal
- font-family: Tuffy; font-size: 16pt; font-style: normal; font-weight: bold
- font-family: Tuffy; font-size: 16pt; font-style: oblique; font-weight: bold
- font-family: Tuffy; font-size: 16pt; font-style: italic; font-weight: bold

There are four `@font-face` rules, one for each font file. The extra `font-style: oblique` styles in the examples look like the italic styles, but are actually a slanted transformation of the glyphs from the normal upright type face referenced in the `font-style: normal` `@font-face` rules. In other font faces, particularly serif fonts, the true italic font style may have a different appearance from the oblique font style.

Some places to get fonts:

- The Tuffy font used in the examples here are available at [Thatcher's Fonts](#)
- [Typodermic Fonts](#) has commercially available fonts and an older set of [Larabie Fonts](#)

[back to top](#)

---

#### The `@import` CSS Rule

An `@import` rule specifies the URL of an external style sheet to be imported. It can also include a media query expression consisting of a media type, one or more parenthesized media feature expressions, or both, separated by the conjunction `and`:

```
@import url(style-sheet-url) media-type and (media-feature:value);
```

The `<dfn>media query</dfn>` expressions that can be used in `@import` rules are the same as the ones used in `@media` rules.

[back to top](#)

---

## The @media Rule

A `@media` rule can include one or more media query expressions, separated by commas, each consisting of a media type, one or more parenthesized media feature expressions, or both, separated by the conjunction `and`:

```
@media media-type and (media-feature:value) { ... }
```

The styles inside the braces will only be applied in situations that match the media query.

### Media Types in Media Queries

#### Continuous media types

- `@media braille { ... }`
- `@media screen { ... }`
- `@media speech { ... }`
- `@media tty { ... }`

#### Hybrid (continuous or paged) media types

- `@media all { ... }` (default)
- `@media handheld { ... }`
- `@media tv { ... }`

#### Paged media types

- `@media embossed { ... }`
- `@media print { ... }`
- `@media projection { ... }`

These `<dfn>media query</dfn>` values can also be used in the `@import` CSS Rule, the `media` attribute of the `<style>` tag and the `media` attribute of the `<link>` tag.

### Media Features in Media Queries

**width, height**

**device-width, device-height**

**orientation**

**aspect-ratio**

**device-aspect-ratio**

**color**

**color-index**

monochrome

resolution

scan

grid

[back to top](#)

---

*THE END*