

HTTP Headers for HTML

A description of Hypertext Transfer Protocol (HTTP) header fields for used in HTML development HTML-5.com is a great guide for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/BreadcrumbHTML 5](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb HTTP Headers for HTML](#)

HTTP Request Headers

HTTP headers sent in the request from the web browser or other client software to the web server

Accept:

a list of media types that the client can accept in the response from the server, with optional <dfn>quality factor</dfn> values indicating the client's relative preference from 0.0, which is least preferable, to 1.0, which is most preferable

```
Accept: application/xhtml+xml;q=1.0, text/html;q=0.9, image/png, image/jpeg, image/gif, */*;q=0.1
```

Accept-Charset:

a list of character sets that the client can accept, with optional <dfn>quality factor</dfn> values indicating the client's relative preference from 0.0, which is least preferable, to 1.0, which is most preferable

```
Accept-Charset: iso-8859-1;q=1.0, utf-8;q=0.7, utf-16;q=0.5, */*;q=0.1
```

Accept-Encoding:

```
Accept-Encoding: gzip, deflate
```

Accept-Language:

```
Accept-Language: en-us, en;q=0.5
```

Cache-Control:

Cookie:

Content-Length:

Content-Type:

media type of the content in the body of the request, for POST and PUT requests

Host:

host name or IP address from the URL being requested (the part just after the [http://](#) or other protocol scheme

```
Host: <a mode="pre" href="http://www.ExampleOnly.com/">www.exampleonly.com</a>
```

Referer:

```
Referer: http://<a mode="pre" href="http://www.ExampleOnly.com/">www.exampleonly.com</a>
```

User-Agent:

```
Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET  
→ CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0;  
→ .NET CLR 1.1.4322; InfoPath.1; .NET4.0C)
```

```
Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.12) Gecko/20101026  
→ Firefox/3.6.12
```

```
Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US) AppleWebKit/534.7 (KHTML,  
→ like Gecko) Chrome/7.0.517.44 Safari/534.7
```

```
Opera/9.80 (Windows NT 6.1; U; en) Presto/2.6.30 Version/10.63
```

[back to top](#)

HTTP Response Headers

HTTP headers sent in the response from the web server to the web browser or other client software

Cache-Control:

```
Cache-Control: max-age=120
```

Content-Language:**Content-Length:****Content-Disposition:****Content-Type:**

```
Content-Type: application/xhtml+xml; charset=UTF-8
```

Expires:**Last-Modified:****Location:****Refresh:****Set-Cookie:****Transfer-Encoding:****X-UA-Compatible:**

```
X-UA-Compatible: IE=8
```

[back to top](#)

THE END