

## HTMLCollection Interface

HTML-5.com is an HTML User's Guide and quick reference of HTML elements and attributes for web developers who code HTML web pages, not only for HTML 5 but for HTML coding in general, with demos and examples of HTML code plus a cheat sheet for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">HTML 5</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">JavaScript Code</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb<span itemprop="title">JavaScript DOM</span>](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](#)

### [HTMLCollection Interface](#)

## HTMLCollection Interface

### Subinterfaces:

[HTMLAllCollection](#) [HTMLFormControlsCollection](#) [HTMLOptionsCollection](#)  
[HTMLPropertiesCollection](#)

### Since:

DOM Level 2

DOM Properties		
get only	unsigned long	<b><i>collection.length</i></b>
DOM Interface Methods		
<a href="#">Node</a>	<b><i>collection.item(unsigned long index)</i></b> <b><i>collection[index]</i></b> <b><i>collection(index)</i></b> <b>Parameters:</b> <i>index</i> - index of the node to be returned, where the first index is 0 and the last index is <i>list.length</i> - 1 <b>Return value:</b> the ( <i>index</i> + 1)th node in the list (for example, if <i>index</i> is 3, the fourth node is returned) if 0 <= <i>index</i> < <i>list.length</i> , or else null	
<a href="#">Node</a>	<b><i>collection.namedItem(DOMString name)</i></b> <b><i>collection[name]</i></b> <b><i>collection(name)</i></b>	

[back to top](#)

*THE END*