

Person Microdata

HTML-5.com is an HTML User's Guide and quick reference of HTML elements and attributes for web developers who code HTML web pages, not only for HTML 5 but for HTML coding in general, with demos and examples of HTML code plus a cheat sheet for web developers. [TV Series & Actors and Actresses](#). Follow [TV Series](#) and [HTML 5](#) on Google+.

[HTML-5.com](#) > [itemscopehttp://data-vocabulary.org/Breadcrumb](http://data-vocabulary.org/Breadcrumb)
[itemprop="title">HTML 5](#)
[Person Microdata](#)

Person Microdata

`<dfn>Person microdata</dfn>` can be used to organize information about a person, which is sometimes called the person's `<dfn>profile</dfn>` or `<dfn>user profile</dfn>`.

`<label>Name:</label> John Doe`

`<label>Nickname:</label> Jack`

`<label>Position:</label> Second Unit Director for
Beverly Hills Television Studio`

`<label>Role:</label> Director`

`<label>URL:</label> http://www.ActingParts.com/directors/
John.Doe`

`<label>Affiliation:</label> Directors Guild of America`

`<label>Address:</label>`

`123456 Seventh Street`

`Beverly Hills, CA`

`90210`

`USA`

This is an actual working example of the [Person microdata example code](#) below.

Syntax

Item type: <http://data-vocabulary.org/Person>

Most of these Person properties are derived from the hcard microformat, except for friend, contact and acquaintance, which are XFN properties.

Property		Description
name	required	The person's name.
nickname		The person's nickname.
photo		A URL to an image resource (<code></code>), which should be a photo of the person.
title		The person's job title.

role		The person's <dfn>job role</dfn>, which is the set of tasks and responsibilities the person has in their job position.
url		The URL for the primary web page for the person, such as the user's profile page.
affiliation		The name of the company or organization that the person is associated with, or a Organization microdata item for the business or organization.
friend		The name or URL () of one friend of the person or a Person microdata item for the friend.
contact		The name or URL () of one contact of the person or a Person microdata item for the contact.
acquaintance		The name or URL () of one acquaintance of the person or a Person microdata item for the acquaintance.
address		The address of a possible location of the person or a Address microdata item for the location.

Examples

```

<dl itemscope="itemscope" itemtype="http://data-vocabulary.org/Person">
  <dt><label>Name:</label> <span itemprop="name">John Doe</span></dt>
  <dd><label>Nickname:</label> <span itemprop="nickname">Jack</span></dd>
  <dd><label>Position:</label> <span itemprop="title">Second Unit
  → Director</span>
    for <span itemprop="affiliation">Beverly Hills Film Studio</span></dd>
  <dd><label>Role:</label> <span itemprop="role">Director</span></dd>
  <dd><label>URL:</label> <span itemprop="url">http://www.ActingParts.com/
  → directors/John.Doe/</span></dd>
  <dd><label>Affiliation:</label> <span itemprop="affiliation">Directors
  → Guild of America</span></dd>
  <dd><label>Address:</label>
    <div itemscope="itemscope" itemtype="http://data-vocabulary.org/Address" style="margin-left: 5em">
      <span itemprop="street-address">123456 Seventh Street</span><br/>
      <span itemprop="locality">Beverly Hills</span>, <span

```

```
→ itemprop="region">CA</span>  
    <span itemprop="postal-code">90210</span><br/>  
    <span itemprop="country-name">USA</span>  
  </div>  
</dd>  
</dl>
```

The second and third lines of the address, starting with the [tags](#) having `itemprop="locality"` and `itemprop="country-name"`, are *not* indented to ensure the browser does not add whitespace before those lines.

[back to top](#)

THE END